

Salsa

2019

WOOD
product
data
sheet



pattern: 3strip

Salsa, the most diversified wood flooring collection, brings the power of nature to living space. Wood species from all over the world, designs and various surface effects are carefully designed to rediscover charms of emotions and little secrets of life!

board size: 2283 x 194 x 14 mm

product line/ subline	code	product name	wood specie	grade	digital print	stain	surface lacquer	gloss level	brushed	heat treatment	bevel	dop number
Essential Brown / Cognac	550049056	AFRICAN MAHOGANY	A. Mah.	Original	No	No	PS(S)	30	No	No	No	2702-0005-DoP-2015-08
Essential Classic / Honey	550049057	ASH SPICE	Ash	Thermo/Cognac	No	No	PS(S)	30	No	Yes	No	2702-0005-DoP-2015-08
Essential Brown / Cognac	550049098	ASH COGNAC HG	Ash	Thermo/Cognac	No	No	PS(HG)	70	No	Yes	No	2702-0005-DoP-2015-08
Essential Pure / White,	550049060	ASH ARCTIC	Ash	Nature	No	Yes	PS(S)	30	No	No	No	2702-0005-DoP-2015-08
Essential Classic / Nature	550049061	ASH NATURE	Ash	Nature	No	No	PS(S)	30	No	No	No	2702-0005-DoP-2015-08
Essential Brown / Cognac	550049065	MERBAU	Merbau	Original	No	No	PS(S)	30	No	No	No	2702-0005-DoP-2015-08
Essential Brown / Cognac	550049067	OAK JAVA BR	Oak	Nature	No	No	PS(M)	9	Yes	Yes	No	2702-0005-DoP-2015-08
Essential Classic / Nature	550049069	OAK NATURE BR	Oak	Nature	No	No	PS(M)	9	Yes	No	No	2702-0005-DoP-2015-08
Essential Classic / Nature	550049070	OAK NATURE	Oak	Nature	No	No	PS(S)	30	No	No	No	2702-0005-DoP-2015-08
Essential Pure / Antique White, Grey	550049072	OAK NORDIC WHITE PL	Oak	Nature	No	Yes	PS(S)	30	No	No	No	2702-0005-DoP-2015-08
Essential Classic / Nature	550049076	OAK PREMIUM	Oak	Premium	No	No	PS(S)	30	No	No	No	2702-0005-DoP-2015-08
Essential Brown / Cocoa	550049078	OAK COCOA	Oak	Rustic	No	Yes	PS(S)	30	No	No	No	2702-0005-DoP-2015-08
Essential Classic / Nature	550049079	OAK RUSTIC	Oak	Rustic	No	No	PS(S)	30	No	No	No	2702-0005-DoP-2015-08
Essential Classic / Nature	550049080	OAK SELECT	Oak	Select	No	No	PS(S)	30	No	No	No	2702-0005-DoP-2015-08
Essential Brown / Cognac	550049090	WALNUT	Wal.Am.	Original	No	No	PS(S)	30	No	No	No	2702-0005-DoP-2015-08
Essential Classic / Beige	550049081	OAK IVORY BR	Oak	Nature	No	Yes	PS(S)	30	Yes	No	No	2702-0005-DoP-2015-08
Vintage / Vintage Dark	550049068	OAK VINTAGE BR	Oak	Nature	No	Yes	PS(S)	30	Yes	No	No	2702-0005-DoP-2015-08
Essential Classic / Beige	550049075	OAK ROBUST WHITE BR	Oak	Original	No	Yes	PS(S)	30	Yes	No	No	2702-0005-DoP-2015-08
Essential Brown / Cocoa	550049077	OAK CHOCOLATE BR	Oak	Original	No	Yes	PS(M)	9	Yes	No	No	2702-0005-DoP-2015-08
Essential Classic / Nature	550049074	OAK ORIGINAL HG	Oak	Original	No	No	PS(HG)	70	No	No	No	2702-0005-DoP-2015-08
Essential Classic / Beige	550049092	ASH TIRAMISU BR	Ash	Nature	Yes	No	PS(S)	30	Yes	No	No	2702-0005-DoP-2015-08
Essential Brown / Mocha	550049099	OAK CINNAMON BR	Oak	Original	Yes	No	PS(S)	30	Yes	No	No	2702-0005-DoP-2015-08
Essential Classic / Nature	550049100	ASH CREAM BR	Ash	Rustic	Yes	No	PS(S)	30	Yes	No	No	2702-0005-DoP-2015-08
Essential Brown / Mocha	550049103	OAK COPPER BR	Oak	Original	Yes	No	PS(S)	30	Yes	No	No	2702-0005-DoP-2015-08
Essential Pure / White	550049104	OAK ICEBERG BR	Oak	Original	Yes	No	PS(M)	9	Yes	No	No	2702-0005-DoP-2015-08
Essential Classic / Beige	550049105	OAK CREAM BR	Oak	Original	Yes	No	PS(S)	30	Yes	No	No	2702-0005-DoP-2015-08
Essential Classic / Nature	550049106	OAK DUO	Oak	Original	Yes	No	PS(S)	30	No	No	No	2702-0005-DoP-2015-08
Essential Pure / White	550049117	ASH SILKY WHITE BR	Ash	Nature	Yes	No	PS(S)	30	Yes	No	No	2702-0005-DoP-2015-08

PS(S) – Proteco Strong Shiny

PS(M) – Proteco Strong Matt

PS(HG) – Proteco Strong High Gloss

installation

- Floating or glue down installation.
- Surface must be clean, dry and flat.
- Relative air humidity: 30-50%.
- Room temperature: 18-24°C.



T-LOCK
Tarkett lock, glue-free locking system

AQUA GUARD
Extended liquid resistance at the short side of boards connection

HEALTHY FLOORS
Lacquer properties prevent bacteria reproduction

ENVIRONMENTAL COMMITMENT
Environmental responsibility throughout all processes (C2C, FSC, ISO14001)

WARRANTY
30 years residential warranty

maintenance

– The finishing technology used for Tarkett floors makes them the best choice for easy maintenance. To preserve all the beauty of your Tarkett wood flooring, simply follow simple protection suggestions.

- 1 – WET MOPPING OR VACCUMING: Wet mopping with almost dry cloth.
Use protective pads when moving furniture
- 2 – DRY CLEANING: Dry mopping & vaccum cleaning
- 3 – REGULAR CLEANING: Tarkett Cleaner
- 4 – PERIODICAL CLEANING: Tarkett Refresher



underfloor heating

– Since wood is a living material, during the heating season, minor gaps might develop between wood flooring boards due to interior climate conditions. These gaps cannot be related to product quality. Boards movement can be minimized by keeping temperature level at approx. 20° C and a relative air humidity at approx. 50 %.

*Not suitable for the wood species beech and maple

technical data

product description: Multilayer 14 mm parquet with surface coating for indoor use (EN 13489)

essential characteristics	performance	harmonised technical specification
A – Reaction to fire	Dfl-s1	EN 14342:2013
the minimum mean density	500 kg/m ³	
the minimum overall thickness	14 mm	
the end-use condition to be applied	glued to the substrate or with or without air gap underneath	
B – Formaldehyde emission	E1	
C – Content of pentachlorophenol	< 5 ppm	
D – Breaking strength	NPD	
E – Slip resistance	NPD	
G – Thermal conductivity	0,11 W/m K	
H – Biological durability	Class 1	

size and package

size and package characteristics	value
Thickness (mm)	~14
Width (mm)	194
Length (mm)	2283
Wear layer thickness (mm)	~3,6
Boards/pack	6
m ² /pack	2,658
m ² /pallet	132,9
Weight/m ² (kg)	~7,24

design overview



ASH ARCTIC



ASH NATURE



ASH TIRAMISU BR



OAK ROBUST WHITE BR



ASH CREAM BR



OAK IVORY BR



OAK RUSTIC



OAK NATURE



OAK NATURE BR



OAK NORDIC WHITE



OAK ORIGINAL HG



OAK SELECT



OAK PREMIUM



OAK CINNAMON BR



ASH SPICE



AFRICAN MAHOGANY



OAK VINTAGE BR



WALNUT




OAK CHOCOLATE BR



MERBAU



OAK COCOA



ASH COGNAC HG



OAK JAVA BR



OAK ICEBERG BR



OAK COPPER BR



OAK CREAM BR



OAK DUO



ASH SILKY WHITE BR